

Wyse® ThinOS 7.1™

Secure simplicity for thin computing.

WYSE
| | | |

THE GLOBAL LEADER IN
CLOUD CLIENT COMPUTING

Wyse ThinOS 7.1 **All you need to know.**



Introducing Wyse ThinOS 7.1

Fast. Simple. Secure.

This fast, purpose-built thin computing platform boots up in seconds, updates itself automatically, and provides IT managers with simple, scalable administration to suit their organization's needs. Security is assured too as there's no published API – giving you an environment that's immune from viruses and malware.

Management is simple with time consuming tasks such as software and configuration updates automated via central file servers (ftp, http, and https) where Wyse thin clients can check-in for their updates. So, whether you have 10, 100 ...or 1000 devices, rolling out a new update is as easy as dropping a file onto your file server.

New Zero Launchpad optimizes Virtual Desktop Deployments

By harnessing the power of the new Wyse Zero engine, Wyse ThinOS delivers fast and secure desktops with user experiences based on an individual's access levels. Logging on is fast and easy too with no double desktop dramas. There's just one screen for inputting their credentials before users are immediately presented with their assigned desktop(s).

Finally, the new Wyse Zero toolbar gives advanced users the option to switch between multiple virtual desktops or modify local settings (i.e. display resolution) – all without leaving their virtual desktop environment.

Wyse ThinOS is the most secure, management-free solution for cloud and virtual computing environments with built-in support for the latest infrastructures including Citrix, Microsoft, VMware and other vendors.



Start

Introduction

Features

Technical

Contact

Features Wyse ThinOS 7.1

Wyse ThinOS delivers a wealth of innovative, user-oriented and productive features:

Instant-on, simple access for users

- New Zero launchpad and Zero toolbar adapt to provide simple and advanced access depending on user privileges.
- With class-leading boot-up times, users are ready to login in seconds.

Automated Management

- Wyse ThinOS enables simple, scalable device management from day one without the need for basic management software.
- For more in depth management Wyse ThinOS features complete integration with Wyse Device Manager.

Security

- Featuring an unpublished API and no file system, Wyse ThinOS is inherently secure providing maximum security from malware and viruses.
- Secure remote access using Citrix Access Gateway (CSG mode) or VMware Security Server, including dual factor authentication with RSA SecureID.
- Smartcard support for leading vendors (Aladdin, ActivIdentity, Gemalto .NET) is built-in. DoD CAC is also supported.

Best HDX and RDP in a non-windows client

- Support for latest HDX features including ICA UDP Audio, multimedia playback, USB webcam remoting, new audio codecs for VoIP, dual factor authentication, etc.
- Wyse is the only vendor with an RDP 7.1 compatible client on non-windows OS – other vendors use RDESKTOP (based on RDP 6.x).
- ICA and RDP performance outperforms other non-windows clients by 3x (on comparable hardware).
- Enhance existing protocols further with Wyse TCX (i.e. Multicasting, high latency support, USB on terminal server, etc).



Start

Introduction

Features

Technical

Contact

Specifications Wyse ThinOS 7.1

HDX Ready client ICA 12 Compatible	<ul style="list-style-type: none"> • UDP Audio • User Roaming • HDX Plug-n-Play • HDX Realtime • Seamless Windows • Desktop Restart (XenDesktop) • HDX Broadcast (Branch Repeater) • Access Gateway Support (direct LDAP or RSA authentication) • Support for L-shaped desktop (and other rotated monitor set up) • Granular control on HDX USB redirected devices 	<ul style="list-style-type: none"> • Improved media flow control • HDX Mediastream • Flash (server rendered) • Progressive Display • HDX IntelliCache • Session Reliability • Smartcard authentication & redirection
RDP 7.1 Compatible client	<ul style="list-style-type: none"> • Optimized for Windows 7 • Support for Microsoft RDS broker (including RemoteApp) • Up to 32-bit color depth connections • RDP7 Multimedia and RDP7 Bi-directional audio • True Multi-Monitor Support (incl. rotation) • RemoteFX (including USB redirection), R10L only • Broad USB Support (with Wyse TCX) • Network Level Authentication (NLA) • Smartcard authentication and redirection • WAN Acceleration (with Wyse VDA) • Rich Multimedia (TS MMR) • Flash Video support (with TCX) 	
VMware View 4.5 client	<ul style="list-style-type: none"> • Smartcard Authentication • SecureID Authentication • Multimedia Support (with TCX) • Bi-directional Audio (with TCX) • WAN Acceleration (with VDA) 	<ul style="list-style-type: none"> • SSL Tunneling • Restart VM • Broad USB Support (with TCX) • Flash Video Support (with TCX)

	supported within Citrix, VMware and Microsoft environments. Users benefit from secure login and roaming desktop support so they can access their environments from any suitably equipped Wyse thin computing environment. DoD CAC supported.
Wyse TCX Suite	<p>Wyse TCX Suite virtualization software works with and enhances HDX and RDP protocols featuring:</p> <ul style="list-style-type: none"> • Multimedia – giving users the power to run rich multimedia files formats • Multi-Display – windows and dialog boxes behave the way users expect across multiple displays. • USB Virtualizer – client attached US B devices are visible to virtual desktops applications, and administrators. • Rich Sound – receive and transmit high quality audio without compromise. • Flash Acceleration – helps users of thin clients to experience improved Flash performance.
Wyse Virtual Desktop Accelerator	Neutralizes the effects of network latency and packet loss, making 'thin' more suitable for more remote-site, branch, or field-based users by boosting RDP and ICA up to 20 times on networks with latencies up to and exceeding 300ms and at least 768kbps bandwidth.
Management made easy	Fast booting, scalable administration includes simple drag and drop placement of firmware, automatic updates via file server and full integration with Wyse Device Manager.
Security built in	<ul style="list-style-type: none"> • With no published API Wyse ThinOS is inherently secure from viruses and malware. • Wyse ThinOS includes robust wired and wireless 802.1x support, with secure encryption for simple installation and management. • DoD CAC supported.
Server OS Infrastructure Support	<ul style="list-style-type: none"> • Citrix XenDesktop 5.5 • Citrix Presentation Server • Microsoft Windows Terminal Server 2008 R2 • Support for other leading VDI brokers (Quest Software, Leostream, etc) • Citrix XenApp 6.5 • VMware View 5

Roaming smart card vendor support Enables smart card users to not only roam from station to station but also access the same virtual environment regardless of which station they are connecting from. Wyse ThinOS (including DoD CAC) provides 'out-of-the-box' smart card support for vendors such as Gemalto .NET, Aladdin, and ActiveIdentity –



Start	Introduction	Features	Technical	Contact
-------	--------------	----------	------------------	---------

Contact Wyse

Wyse Technology Inc.

3471 North First Street,
San Jose,
CA 95134-1801

Visit our website at:

<http://www.wyse.com>
or send an email to: sales@wyse.com

Wyse Sales

800 GET WYSE (800 438 9973)

International customers please dial:

00 1 408 473 1200

Wyse Support Portal

Wyse Support Portal provides a fast and accurate way to communicate interactively with Wyse Customer Support, and helps us respond to your requests more quickly.

<http://support.wyse.com/selfservice.html>

Wyse offers cloud client computing sales, service and support expertise around the globe. Click for contact details.



©2011 The Wyse logo and Wyse are trademarks of Wyse Technology Inc. Other product names mentioned herein are for identification purposes only and may be trademarks and/or registered trademarks of their respective companies. All specifications are subject to change without notice. Whilst we make every effort to ensure the accuracy of the details, specifications, models, images and benefits featured in this datasheet, we cannot be held responsible for any errors and/or omissions. If you have any queries regarding Wyse products please contact your authorized regional Wyse Partner or representative for further information and assistance. Some features require support by server operating system and protocol. Approved final 181111.

WYSE
| | | |
wyse.com
THE GLOBAL LEADER IN
CLOUD CLIENT COMPUTING



Start

Introduction

Features

Technical

Contact